
## Downton Primary School Calculation Policy 2022




Policy Reviewed: January 2022 Next review: January 2023


Policy approved by Governors Date:

EYFS				
Number – additio	n and subtraction	Number – multipli	ication and division	
add two single digit numbers	subtract two single digit numbers	solve problems including doubling	solve problems including halving and sharing	
aggregation Counters on plates	reduction Counters on plates	Practically double a group of objects to find double of a number by combining then counting the two groups:	Sharing objects	
	6 take away 1 leaves 1, 2, 3, 4, 5.			
1, 2, 3, 4, 5, 6.	Cross out drawn objects to represent what has been	Double 4 is 8.	One for you. One for me Is it fair? How many do we each have?	
Bead strings or bead bars can be used to illustrate addition including bridging ten by counting on 2 then 3.	taken away:		15 shared between 5 is 3.	
5+3=8 12345678 5 678	3 take away 2 is 1 Start with 3 2, 1.	MAN	000000000000000000000000000000000000000	
Count on to find the answer augmentation Practically with objects, fingers etc.	Count on or back to find the answer Practically, for example:	5 and 5	Grouping objects	
5 + 2 "Put 5 in your head, 6, 7." Dice 4 + 3 = 7	Group objects on a table then cover some to visualize the calculation:		Put groups of objects on plates. How many groups of 4 are there in 12 stars?	
4, 5, 6, 7.	2  less than 4 is 2	is 10		
On a prepared number line (start with the bigger	Start with 2 3, 4.			
number) 2 + 4 = 6				
	I had 10 pennies. I spent 4 pence. How much do I have left? Start with 10 9, 8, 7, 6.			
	understand and use vocabulary for subtraction	understand and use vocabulary for multiplication	understand and use vocabulary for division	
understand and use vocabulary for addition add, more, and, make, sum, total, altogether, score,	take (away), leave, how many are left/left over? how many have gone? one less, two less ten less how many fewer is than? difference between	count on (from, to), count back (from, to), count in ones, twos tens is the same as	half, halve, count out, share out, left, left over is the same as	
double, one more, two more, ten more how many more to make ? how many more is than?	is the same as			
is the same as				



<ul> <li>a subjust in the database database</li></ul>	read, write and interpret mathematical statements involving addition (+) and	read, write and interpret mathematical statements involving and subtraction (-)	make connections between arrays and number patterns	make connections between arrays and number patterns
Fix dependence is the incidence have underweiding of a low-advecturation of the individual set of a low of			nake connections between arrays and namber patterns	
$ \hat{p} + \hat{p} + \hat{p}  = 1$ $ \hat{p} + $	equality, before using the '=' sign. Calculations should be on either side of the '=' to that children don't misunderstand '=' as to mean 'the answer'.	equality, before using the '=' sign, Calculations should be on either side of the '=' to that children don't misunderstand '=' as to mean 'the answer'.	Arrays	
Image: sector dependence in the low calculation, and advertextion, using concerts expendence in the low calculation and advertextion, using concerts expendence in the low calculation and advertextion, using concerts expendence in the low calculation and advertextion, using concerts expendence in the low calculation and advertextion, using concerts expendence in the low calculation and expendence in the low calculation expendence in the low calculation expendence in the low calculation expen			2 + 2 + 2 3 + 3	
Also or stip problem tert indice addition and addrection, unity coverts (1-1)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection, unity coverts (1-2)       So or stip problem tert indice addition and addrection addr				
$\frac{1}{\frac{1}{\frac{1}{\frac{1}{\frac{1}{\frac{1}{\frac{1}{\frac{1}$				
<ul> <li>a) better and pirtured representations, and masting number problem such as 7 = 0</li> <li>b) + 4</li> <li>c) + 2</li> <li>c) + 4</li> <li>c) + 2</li> <li>c) + 2</li></ul>				
To apper this, who a shirp calculations, mixing numbers should be placed in d possible places 3 + 2 + 2 + 7 + 2 + 3 + 3 + 3 + 3 + 2 + 2 + 2 + 2 + 2	objects and pictorial representations, and missing number problems such as 7 =	objects and pictorial representations, and missing number problems such as 7 =	concrete objects, pictorial representations and arrays with the support	solve one-step problems involving division, by calculating the answer using concrete objects, pictorial representations and arrays with the support
1 = 1 = 7 = 7 = 1 + 4 + = 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	all possible places:	all possible places:	and why.	
I + V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I + V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = v = 0 + V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = v = 0 + V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = v = 0 + V = 7 7 = + V Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 7 7 = + V I = v = 0 + V = 0 +	3 + 🗆 = 7 7 = 🗆 + 4	16 - 🗆 = 7           7 = 🗆 - 9		
and why: Singapore Bar Method			whole one part x number of parts = whole	whole - number of parts - one part whole - one part = number of parts
uhole       part				
understand and use vocabulary for addition, e.g., put together, add, altogether, add, altogeth			part	part
part       part       part       part       part       larger quantity         larger quantity       large			larger quantity	larger quantity
Iarger quantity       Iarger quantity         smaller quantity       Iarger quantity         difference       smaller quantity + difference = larger quantity         understand and use vocabulary for addition, e.g. put together, add, altogether, total and more than       understand and use vocabulary for addition, e.g. put together, add, altogether, e.d.d, altogether, total, altogether, sore, double, near double, ne	part part	part part	smaller quantity x multiples = larger quantity	
difference         smaller quantity + difference = larger quantity         understand and use vocabulary for addition, e.g. put together, add, altogether, total and more than         +, add, more, plus, make, total, altogether, score, double, near double, one more,           - subtract, take (away), minus, leave, how many are left/left over? how many	larger quantity	larger quantity	smaller quantity	Y I I I I I I
smaller quantity + difference = larger quantity       larger quantity - smaller quantity = difference         understand and use vocabulary for addition, e.g. put together, add, altogether, total and more than       understand and use vocabulary for addition and subtraction, e.g. take away, distance between and less than       use a variety of language to describe multiplication       use a variety of language to describe multiplication         +, add, more, plus, make, total, altogether, score, double, near double, one more,       - subtract, take (away), minus, leave, how many are left/left over? how many       use a variety of language to f, stimes, multiply, multiplied by,	smaller quantity	smaller quantity		
total and more than distance between, difference between and less than count on (from, to), count in ones, twos, threes, fours, +, add, more, plus, make, total, altogether, score, double, near double, one more, - subtract, take (away), minus, leave, how many are left/left over? how many are left/left over				
total and more than distance between, difference between and less than count on (from, to), count in ones, twos, threes, fours, +, add, more, plus, make, total, altogether, score, double, near double, one more, - subtract, take (away), minus, leave, how many are left/left over? how many are left/left over			under a superiode and for a superiod of the multiplication	une e unicht of lan anne de describe division
+, add, more, plus, make, total, altogether, score, double, near double, one more, - subtract, take (away), minus, leave, how many are left/left over? how many a				
two more ten more, have gone? one less, two less, ten less how many fewer is than? how much less is? difference between, half, halve, counting up/back so on), repeated addition, array, row, column, double, halve	+, add, more, plus, make, total, altogether, score, double, near double, one more, two more ten more,	have gone? one less, two less, ten less how many fewer is than? how much	fives count in tens, lots of, groups of, x, times, multiply, multiplied by, multiple of, once, twice, three times ten times times as (big, long, wide and	
= equals, sign, is the same as = equals, sign, is the same as How many more to make? How many more is than? How much more is?				= equals, sign, is the same as
Prove many more to make rind? How much more is?       Repetition of facts with different vocabulary:         Repetition of facts with different vocabulary:       "What is 2 add 5?" "What is 2 more than 5?" "What is 7 take away 3?" "What is 3 less than 7?"         "What is 2 plus 5?" What is the total of 2 and 5?" etc       "What is 7 subtract 3?" "What is the difference between 3 and 7?" etc	Repetition of facts with different vocabulary: "What is 2 add 5?" "What is 2 more than 5?"	"What is 7 take away 3?" "What is 3 less than 7?" "What is 7 subtract 3?"		





		Уес	ar 3
	Number – additio	n and subtraction	Number – multiplication and division
add numbers mentally, including: • a three-digit number and ones • a three-digit number and tens • a three-digit number and hundr		subtract numbers mentally, including: • a three-digit number and ones • a three-digit number and tens • a three-digit number and hundreds	recall and use multiplication facts for the 3, 4 and 8 multiplication       recall and use division facts for the 3, 4 and 8 multiplication tables         Play games, chant, test etc to increase speed of recalling facts.       Play games, chant, test etc to increase speed of recalling facts.
Counting on 115 + 2 "Put 115 in your head, 116, 117." Partition number and recombine 127 + 90 = 100 + 20 + 7 + 90 = 100 + 110 + 7 = 100 + 117 = 217 • two two-digit numbers (includin Counting on with number lines 48 + 36 = 84 + 30 -2 + 4 -38 + 30 + 2 + 4 -38 + 30 + 30 + 2 + 4 -38 + 30 + 2 + 4 -38 + 30 + 30 + 2 + 4 -38 + 30 + 38 + 30 + 3	Adding near numbers and adjusting 433 + 90 = 433 + 100 - 10 = 533 - 10 = 523 Count on by splitting units to make next multiple of ten/hundred 360 + 80 = 360 + 40 + 40 = 400 + 40 = 440 Mag answer crossing 100) Partition both numbers and recombine 27 + 82 = 20 + 7 + 80 + 2 = 100 + 9 = 109 Count on by partitioning the second number only 36 + 93 = 93 + 30 + 6 = 123 + 6 = 129	Counting back: 263 - 5 "Put 263 in your head, 262, 261, 260, 259, 258." Subtract mentally a 'hear multiple of 10' to or from a two-digit number: 678 - 90 = 678 - 100 + 10 Use known number facts and place value to subtract (partition second number only) 37 - 12 = 37 - 10 - 2 = 25 25 - 27 - 2 = 25 25 - 10 - 2 = 27 - 2 = 25 - 20 + 1 $\frac{1}{12}$	Make models and images to display facts. Investigate patterns within tables.Make models and images to display facts. Investigate patterns within tables.understand and use mental methods using commutativity and associativity (for example, $4 \times 12 \times 5 = 4 \times 5 \times 12 = 20 \times 12 = 240$ ) Use a variety of resources (including a calculator) to investigate order of multiplication. Make models and images to display facts.Make models and images to display facts.understand and use mental methods using multiplication a facts (e.g. using $3 \times 2 = 6$ , $6 \div 3 = 2$ and $2 = 6 \div 3$ ) to derive related facts (e.g. $30 \times 2 = 60$ , $60 \div 3 = 20$ and $20 = 60 \div 3$ ) $30 \times 5 = 150$ $50 \times 3 = 150$ $150 \div 5 = 30$ $3 \times 5 = 150$ $50 \times 3 = 150$ $150 \div 5 = 30$ $3 \times 50 = 150$ $50 \times 3 = 15$ $150 \div 5 = 3$ $5 \times 30 = 150$ $50 \times 30 = 1500$ $150 \div 5 = 3$ $5 \times 30 = 150$ $50 \times 30 = 1500$ $30 \times 50 = 1500$
add numbers with up to three dig of columnar addition (See Append Extend mental method of partitioning and recombining. 158 + 72 = 100 + (50 + 70) + (8 + 2) = 100 + 120 + 10 = 230 Column addition 367 +185 552 11 See See See See See See See See See See	dix 1) Vertical expansion $367$ $\pm 185$ 12 140 400 552 Including money $\pm 2.50$ $\pm \epsilon 1.75$ $\epsilon 4.25$ 1 Use base 10 (diennes) or place value counters to support understanding of carrying and to ensure conceptual understanding of place value: tent difficulties, $\frac{200 + 40 + 6}{70 + 6}$ nn method with $\frac{200 + 40 + 6}{200 + 20}$	subtract numbers with up to three digits, using formal written methods of columnar subtraction (See Appendix 1) Use base 10 (diennes) as a practical method to introduce exchanging 31 - 18 = 13 When pupil(s) are confident in doing this practically and verbalizing the calculation, begin to record using partitioned column method: $\begin{array}{c} 20 & 1 \\ \hline & -10 + 8 \\ \hline & 10 + 3 \end{array}$ When secure with exchanging, use partitioned column method to solve calculation involving 3 digit numbers. Repeating the practical stage if necessary. Introduce Column Subtraction without decomposition: $\begin{array}{c} 458 \\ - 232 \\ 226 \end{array}$	$\frac{develop reliable written methods for multiplication, starting with calculations of two-digit numbers by one-digit numbers and progressing to the formal written methods of short multiplication. Start by reinforcing mental methods of partitioning: 15 \times 2 = 30 \xrightarrow{20 + 10}_{20 + 10} 33 \xrightarrow{2}_{30} (10 \times 3) + (3 \times 3)_{3} = 30 + 9 = 39 \frac{6rid Method}{1. Introduce the grid method to compute fields and dots in the formal written method to support nuderstanding of place value: 12 \times 3 = 36 \frac{12 \times 3 = 36}{12 \times 3 = 36} \frac{12 \times 3 = 36}{12 \times 3 $

solve problems, including missing number problems, using number facts, place value, and more complex addition Missing numbers should be placed in all possible places: 3 + 4 = 0 = 4 + 3 3 + 0 = 7 7 = 0 + 4 4 + 0 = 7 7 = 3 + 0 + $\nabla$ = 7 7 = 0 + $\nabla$	solve problems, including missing number problems, using number facts, place value, and more complex subtraction Missing numbers should be placed in all possible places: 16 - 9 = 0 $= 16 - 9$ 16 - 0 = 7 7 = 0 - 9 = 9 = 7 7 = 16 - 0 $= - \nabla = 7 7 = 0 - \nabla$	solve problems, including missing number problems, involving multiplication, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects solve simple problems in contexts, deciding which of the four operations to use and why Missing numbers placed in all possible places.	solve problems, including missing number problems, involving division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects solve simple problems in contexts, deciding which of the four operations to use and why Missing numbers placed in all possible places.
Use all the models and images mentioned above. Discuss which is most effective and why.	Use all the models and images mentioned above. Discuss which is most effective and why.	$7 \times 2 = 0$ $= 2 \times 7$ $7 \times 2 = 14$ $14 = 0 \times 7$ $x \ge 14$ $14 = 2 \times 0$ $x = 14$ $14 = 2 \times 0$ $x = 14$ $14 = 0 \times 7$	$\begin{array}{c} 6 + 2 = 0 \\ 6 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 = 3 \\ 2 + 2 \\ 2 + 7 = 3 \\ 3 = 0 + 7 \end{array}$
Singapore Bar Method	Singapore Bar Method	Extend to	Extend to
whole	whole	2 × 6 = 3 × and using three numbers 10 × 0 × 0 = 60 12 = 2 × 0 × 2	12 + 6 = 8 + and using three numbers 10 + 5 + 0 = 1 3 = 12 + 0 + 2
part + part = whole	whole - part = part	Use all the models and images mentioned above. Discuss which is most effective and why.	Use all the models and images mentioned above. Discuss which is most effective and why.
part part	part part	Singapore Bar Method	Singapore Bar Method
larger quantity smaller quantity	larger quantity smaller quantity	whole one part x number of parts = whole	whole whole + number of parts = one part whole + one part = number of parts
difference	difference	part	Y part
smaller quantity + difference = larger quantity	larger quantity - smaller quantity = difference	Iarger quantity smaller quantity x multiples = larger quantity smaller quantity	larger quantity larger quantity ÷ smaller quantity = multiple larger quantity ÷ multiples = larger quantity smaller quantity
estimate the answer to a calculation and use inverse operations to check answers	estimate the answer to a calculation and use inverse operations to check answers	write and calculate mathematical statements for multiplication using the multiplication tables that they know, including for two- digit numbers times one-digit numbers, using mental and	write and calculate mathematical statements for division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to
Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.	Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.	progressing to formal written methods	formal written methods
		See models and images above.	See models and images above,
use a variety of language to describe addition	use a variety of language to describe subtraction	use a variety of language to describe multiplication	use a variety of language to describe division
+, add, addition, more, plus, make, sum, total, altogether, score, double, near double, one more, two more ten more one hundred more, how many more to make? how many more is than? how much more is?	- subtract, subtraction, take (away), minus, leave, how many are left/left over? one less, two less ten less one hundred less, how many fewer is than? how much less is? difference between, half, halve	count, count (up) to, count on (from, to), count back (from, to), count in ones, wos, threes, fours, fives count in tens, hundreds, lots of, groups of, [], times, multiply, multiplication, multiplied by, multiple of, product, once, twice, three times ten timestimes as (big, long, wide and so on), repeated addition, array,	Array, row, column, halve, share, share equally, one each, two each, three each group in pairs, threes tens, equal groups of, $\div$ , divide, division, divided by, divided into, left, left over, remainder
= equals, sign, is the same as	= equals, sign, is the same as	row, column	= equals, sign, is the same as
tens boundary, hundreds boundary		= equals, sign, is the same as	

Year 4				
Number – addition and subtraction Number – multiplication and division				
add numbers mentally, including: • a four-digit number and ones • a four-digit number and tens • a four-digit number and hundreds • a four-digit number and thousands	subtract numbers mentally, including: • a four-digit number and ones • a four-digit number and tens • a four-digit number and hundreds • a four-digit number and thousands	recall multiplication facts for multiplication tables up to 12 × 12 Play games, chant, test etc to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables.	recall division facts for multiplication tables up to 12 × 12 Play games, chant, test etc to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within tables.	
Counting onAdding near numbers and adjusting $3115 + 2$ $7433 + 90 = 7433 + 100 - 10$ $= 7533 - 10$ $= 7533 - 10$ $= 7523$ Partition number and recombine $7433 + 90 = 7433 + 100 - 10$ $= 7523$ Partition number and recombine $27523$ Sourt on by splitting units to make next multiple of ten/hundred $5127 + 2000$ $= 5000 + 100 + 20 + 7 + 2000= 7000 + 100 + 20 + 7= 7127• three and two-digit numbersPartition both numbers into hundreds,tens and ones and recombine358 + 73 = 300 + 50 + 8 + 70 + 3= 300 + 120 + 11= 420 + 11240 + 10= 431Partitioning with number linesAdd the nearest multiple of 10 or100 then adjust$	Counting back: $5263 - 5$ "Put 5263 in your head, 5262, 5261, 5260, 5259, 5258." Subtract mentally a hear multiple of 10 to or from a two-digit number: 3678 - 90 = 3678 - 100 + 10 Use unprepared numbered lines the subtract, by counting back: 1516 - 400 = 1116 1116 1216 1316 1416 1516 1116 1216 1316 1416 1516 1116 1216 1316 1416 1516 1100 -100 -100 -100 • three and two-digit numbers Use known number facts and place value to subtract (partition second number only) 437 - 12 = 437 - 10 - 2 = 425 - 2 425 - 427 - 437 425 - 427 - 437 425 - 427 - 437 425 - 427 - 437 305 - 19 = 305 - 20 + 1	$\begin{bmatrix} 0 \\ y \\$	use place value, known and derived facts to divide mentally, including: dividing by 1 practise and extend mental methods to three-digit numbers to derive facts, (for example 600 + 3 = 200 can be derived from 2 × 3 = 6) Use knowledge of multiplication facts and place value to derive related facts. $30 \times 5 = 150$ $50 \times 3 = 150$ $150 + 5 = 30$ $150 + 3 = 50$ $3 \times 5 = 150$ $0 \oplus 0 \oplus 15 + 3 = 5$ $3 \times 50 = 150$ $5 \times 3 = 15$ $0 \oplus 0 \oplus 15 + 5 = 3$ $5 \times 30 = 150$ $50 \times 30 = 1500$ $30 \times 50 = 1500$ $150 + 50 = 3$ Partitioning/Chunking $77 \div 5 = (50 \div 5) + (25 \div 5) + (remainder 2)$ = 10 + 5 + (remainder 2) = 15 remainder 2	
458 + 79 = 458 + 80 - 1	-2 -10 +1 285 286 305 -20	recognise and use commutativity in mental calculations write statements about the equality of expressions (for example, use the distributive law $39 \times 7 = 30 \times 7 + 9 \times 7$ and associative law $(2 \times 3) \times 4 = 2 \times (3 \times 4)$ ) Use a variety of resources (including a calculator) to investigate order of multiplication. Make models and images to display facts.	recognise and use factor pairs in mental calculations Use a variety of resources (including a calculator) to investigate factor pairs. Make models and images to display facts.	
add numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate (see Appendix 1)	subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate (see Appendix 1)	multiply two-digit and three-digit numbers by a one-digit number using formal written layout (see Appendix 1)	divide numbers up to 3 digit by a one-digit number using the formal written method of short division and begin to interpret remainders.	
Column addition $\begin{array}{r} 2358\\ + 373\\ -2731\\ 11 \end{array}$ To ensure conceptual understanding, it is essential that place value is reinforced by frequently. Discussing the actual value of each digit, e.g. the 5 digit represents 5 hundreds. Use base 10 (Diennes) or place value counters to support understanding of carrying and to ensure conceptual understanding of place value (see year 2 and 3 for how to use these manipulatives). Including decimals $\begin{array}{r} 72.8\\ + 54.6\\ 127.4\\ 1 \end{array}$ To ensure conceptual understanding, it is essential that place value is reinforced by frequently discussing the actual value of each digit, e.g. the 2 digit represents 2 tens. Use money to support understanding.	Columnar addition and subtraction where appropriate (see Appendix 1) Revision of partitioned column method from Year 3. Moving on to numbers with 4 digits: (use Diennes to support when required.) 2 7 5 4 - 1 5 6 2 = 1 1 9 2 6 00 + 7 0 0 + 5 0 + 4 - 1 0 0 0 + 5 0 + 6 0 + 2 1 0 0 0 + 1 0 0 + 9 0 + 2 Column Subtraction without decomposition 458 - 232 226 Column Subtraction with decomposition Once pupils are confident in exchanging and have a clear understanding of place value, move towards the formal compact column method: (use Diennes to support when required.) 2 $3 5 4 - 1 5 6 2$ 1 1 9 2	$ \begin{array}{c} \text{Grid method} \\ \text{231 x 7 is approximately 200 x 10 = 2000} \\ \begin{array}{c} \text{231 x 7 = 1617} \\ \hline x & 7 \\ \hline 200 & 1400 \\ \hline 30 & 210 \\ \hline 1 & 7 \\ \hline 1617 \\ \end{array} $	Short division and begin to interpret remainders.         Short division with no remainders in the final answer, use place value counters/Diennes where support is required.         0       3       7       2       1       8         5       1       8       3       4       8       7       2         Remainders       8       3       4       8       7       2       1       8         Remainders       8       8       7       3       2       1       8       7       2       1       8         Remainders       8       8       7       3       4       8       7       2       1       8       7       2       1       8       9       3       3       4       8       7       2       1       8       9       3       3       4       8       7       2       1       8       9       3       3       4       8       7       2       1       8       9       3       3       4       8       7       2       1       8       9       9       9       9       9       9       9       9       9       9       9       9       9	

solve addition two-step problems in contexts, deciding which operations and methods to use and why	solve subtraction two-step problems in contexts, deciding which operations and methods to use and why	solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects	solve two-step problems in contexts, choosing the appropriate operation, working with increasingly harder numbers
Use all the models and images mentioned above. Discuss which is most effective and why.	Use all the models and images mentioned above. Discuss which is most effective and why.		Use all the models and images mentioned above. Discuss which is most effective and why.
Singapore Bar Method	Singapore Bar Method whole part part larger quantity difference larger quantity = difference	Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method whole one part x number of parts = whole part larger quantity smaller quantity x multiples = larger quantity smaller quantity	Singapore Bar Method whole + number of parts = one part whole + one part = number of parts part larger quantity larger quantity + smaller quantity = multiple larger quantity + multiples = larger quantity smaller quantity
estimate and use inverse operations to check answers to a calculation	estimate and use inverse operations to check answers to a calculation	estimate and use inverse operations to check answers to a calculation	estimate and use inverse operations to check answers to a calculation
Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.	Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.	Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.	Estimate answers before solving any calculation. Once inverse operation has been learnt use as a method for checking.
use a variety of language to describe addition	use a variety of language to describe subtraction	use a variety of language to describe multiplication	use a variety of language to describe division
+ add, addition, more, plus, increase, sum, total, altogether, score, double, near double, how many more to make? tens boundary, hundreds boundary, inverse = equals, sign, is the same as	- subtract, subtraction, take (away), minus, decrease, leave, how many are left/left aver? difference between, half, halve, how many more/fewer is than? how much more/less is? tens boundary, hundreds boundary, inverse	times, multiply, multiplication, multiplied by, multiple of, product once, twice, three times ten times times as (big, long, wide and so on) repeated addition array, row, column, double, inverse	Array, row, column, halve, share, share equally, one each, two each, three each group in pairs, threes tens. equal groups of, divide, division, divided by, divided into, remainder, factor, quotient, divisible by, inverse
	= equals, sign, is the same as	= equals, sign, is the same as	= equals, sign, is the same as

	Yeo	n 5	
Number – addition	n and subtraction	Number – multiplic	cation and division
add numbers mentally with increasingly large numbers ( e.g. 12 462 - 2300 = 10 [62] Partition both numbers and recombine 2358 + 773 = 2000 + 300 + 50 + 8 + 700 + 70 + 3 = 2000 + 1000 + 120 + 11 = 3000 + 100 + 30 + 1 = 3131 Partitioning with number lines +700 + 70 + 3 2358 3058 3128 3131 Partition second number only into hundreds, tens and ones and recombine 2358 + 773 = 2358 + 700 + 70 + 3 = 3058 + 70 + 3 = 3128 + 3 = 3131 Add the nearest multiple of 10 or 100, then adjust 458 + 79 = 458 + 80 - 1	subtract numbers mentally with increasingly large numbers (e.g. 12 462 - 2300 = 10 162) Subtract the nearest multiple of 10 or 100, then adjust 458 - 79 = 458 - 80 + 1 = 378 + 1 = 379 Find a difference by counting up 806 - 299 : 503 999 = 300 Use known number facts and place value to subtract (partition second number only) 12 462 - 2300 = 12 462 - 2000 - 300 = 10 162 10162 = 10462 = 12462 10162 = 10462 = 12462	multiply numbers mentally drawing upon known facts Partition $47 \times 6 = (40 \times 6) + (7 \times 6)$ = (240) + (42) = 282 Double and halve $25 \times 16 = 50 \times 8 = 100 \times 4 = 200 \times 2 = 400$ multiply whole numbers and those involving decimals by 10, 100 and 1000 Place Value $Th H T U \cdot h h h$ $\times 10^{-} \times 100^{-}$ identify multiples, (and use them to construct equivalence statements, e.g. $4 \times 35 = 2 \times 2 \times 35$ ; $3 \times 270 = 3 \times 3 \times 9 \times 10 = 9^{2} \times 10$ ) Use a variety of resources (including a calculator) to investigate multiples. Make models and images to display facts. recall prime numbers up to 19 establish whether a number up to 100 is prime Play games, chant, test etc to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within primes. recognise and use square numbers and cube numbers, and the notation for squared ( <sup>2</sup> ) and cubed ( <sup>3</sup> )	divide numbers mentally drawing upon known facts Partitioning $72 \div 3 = (60 \div 3) = (12 \div 3)$ $= 20 \div 4$ = 24 divide whole numbers and those involving decimals by 10, 100 and 1000 Place Value $Th H T U \cdot t h th$ $\div 1000 \div 1000$ identify factors, including finding all factor pairs of a number, and common factors of two numbers (and use them to construct equivalence statements, e.g. $4 \times 35 = 2 \times 2 \times 35$ ; $3 \times 270 = 3 \times 3 \times 9 \times 10 = 9^2 \times 10$ ) Use a variety of resources (including a calculator) to investigate factors. Make models and images to display facts. recall prime numbers up to 19 establish whether a number up to 100 is prime Play games, chant, test etc to increase speed of recalling facts. Make models and images to display facts. Investigate patterns within primes.
add numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction - see Appendix 1) Column addition 124.90 (add in a zero to keep + 117.25 the place value) 242.15 11 To ensure conceptual understanding, it is essential that place value is reinforced by frequently. Discuss the value of each digit. Use base 10 (Diennes) to support understanding of exchanging and to ensure conceptual understanding of place value. Where there is an 'empty' space in a decimal column, pupils should be made aware that it is essential to align the columns carefully. Pupils should be able 3.25 to add more than 2 + 4.13 numbers using the 0.76 compact column 8.14 method. 11	subtract numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction - see Appendix I) Revision of formal compact column method extending to calculations involving numbers with more than 4 digits (use Diennes to support understanding of decomposition and place value). When confident in using formal compact column method with integers and decimals involving money (always 2 decimal places), extend to subtraction with mixtures of integers and decimals. A clear understanding of place value is essential. Align the decimal point and use 'place holders', if needed.	Use a variety of resources (including a calculator) to investigate square and cubed numbers. Make models and images to display facts. Investigate the patterns within squared and cubed numbers. multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two-digit numbers Review formal method of short multiplication (for multiplying by one digit numbers) when proficient 452 x = 3 1243 x = 8 9624 Start with grid method when multiplying by 2 digit numbers 72 x 38 is approximately 70 x 40 = 2800 x = 70 z = 2736 Move onto formal long multiplication x = 134 x = 13 102	divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context (as fractions, as decimals or by rounding (for example, $98 \div 4 \pm 98/4 \pm 24r2 \pm $

solve addition multi-step problems in contexts, deciding which operations and methods to use and why Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method whole part part + part = whole part + part = whole larger quantity difference smaller quantity + difference = larger quantity	solve subtraction multi-step problems in contexts, deciding which operations and methods to use and why Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method whole part part larger quantity smaller quantity difference larger quantity = difference	Solve problems that use multiplication and division as inverses, for example, by multiplying and dividing by powers of 10 in scale drawings or by multiplying and dividing by powers of a 1000 in converting between units such as kilometres and metres Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method $u = u = u = u = u = u = u = u = u = u =$	Solve problems that use multiplication and division as inverses, for example, by multiplying and dividing by powers of 10 in scale drawings or by multiplying and dividing by powers of a 1000 in converting between units such as kilometres and metres Use all the models and images mentioned above. Discuss which is most effective and why. Singapore Bar Method $uhle + umber of parts = one part = number of parts = one part whole + one part = number of parts = one part = number of parts use and explain the equals sign to indicate equivalence, including missing number problems (e.g., 13+24 = 12+25; 33 = 5 × []) Use all of the models and images above to investigate a range of statements, ensuing the equals sign is in different positions. Allow time for discussion and reasoning. Also use errors or misconceptions as a starting point.$
use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).
use a variety of language to describe addition + add, addition, more, plus, increase, sum, total, altogether, score, double, near double, how many more to make? tens boundary, hundreds boundary, units boundary, tenths boundary, inverse = equals, sign, is the same as	use a variety of language to describe subtraction - subtract, subtraction, take (away), minus, decrease, leave, how many are left/left over? difference between, half, halve, how many more/fewer is than? how much more/less is? tens boundary, hundreds boundary, units boundary, tenths boundary, inverse = equals, sign, is the same as	use a variety of language to describe multiplication know and use the vocabulary of prime numbers, prime factors and composite (nonprime) numbers lots of, groups of, times, multiply, multiplication, multiplied by, multiple of, product, once, twice, three times ten times times as (big, long, wide and so on), repeated addition, array, row, column, double,, inverse, prime, equals, sign, is the same as	use a variety of language to describe division Array, row, column, halve, share, share equally one each, two each, three each group in pairs, threes tens, equal groups of, divide, division, divided by, divided into, remainder, factor, quotient, divisible by, inverse. Prime, factors equals, sign, is the same as

	Yee	ar 6	
Number - additio	n and subtraction		ication and division
perform mental calculations, including with mixed operations and large numbers (and decimals)	perform mental calculations, including with mixed operations and large numbers(and decimals)	perform mental calculations, including with mixed operations and large numbers(and decimals)	perform mental calculations, including with mixed operations and large numbers(and decimals)
Partition both numbers into hundreds, tens, ones and decimal fractions and recombine 35.8 + 7.3 = 30 + 5 + 0.8 + 7 + 0.3 = 30 + 12 + 1.1 = 42 + 1.1 = 43.1 Partition second number only into hundreds, tens, ones and decimal fractions and recombine 35.8 + 7.3 = 35.8 + 7 + 0.3 = 42.8 + 0.3 = 43.1	Use known number facts and place value to subtract 6.1 - 2.4 = 3.7 $3.7$ $4.1$ $6.1$ $-0.4$ $-2$ Subtract the nearest whole number then adjust 52 - 11.9 = 52 - 12 + 0.1 $= 40 + 0.1$ $= 40.1$	Partitioning $4.7 \times 6 = (4 \times 6) + (0.7 \times 6)$ = (24) + (4.2) = 28.2 Double and halve $4.25 \times 32 = 8.5 \times 16$ $= 17 \times 8$ $= 34 \times 4$ $= 68 \times 2$ = 136	Partitioning $7.2 \div 3 = (6 \div 3) = (1.2 \div 3)$ $= 2 \div 0.4$ = 2.4
Add the nearest whole number then adjust 52 + 11.9 = 52 + 12 - 0.1 = 64 - 0.1 = 63.9		identify common factors, common multiples and prime numbers Use a variety of resources (including a calculator) to investigate common factors, common multiples and prime numbers. Make models and images to display facts. Investigate the patterns within the numbers.	identify common factors, common multiples and prime numbers Use a variety of resources (including a calculator) to investigate common factors, common multiples and prime numbers. Make models and images to display facts. Investigate the patterns within the numbers.
practise addition for larger numbers, using the formal written methods of columnar addition (see Appendix 1) Extend the use of compact column method to adding several numbers with_mixed decimals.	practise subtraction for larger numbers, using the formal written methods of columnar subtraction (see Appendix 1) Column Subtraction with decomposition $\frac{544}{-286}$ $-\frac{8.36}{-1.17}$ Including decimals Revision of formal compact column method extending to more complex integers and applying to problem solving using money and measures, including decimals with different numbers of decimal places. Align the decimal point when setting out calculations. Use 'place holders' to aid understanding of the value in that column. $\frac{110}{-36-080}$ kg $\frac{1}{-38}$ kg	multiply multi-digit numbers up to 4 digits by a two-digit whole         number using the formal written method of short and long         multiplication (Appendix 1)         Short multiplication and Long multiplication as in Year 5, but apply         to numbers with decimals.         3       1         2       5       5         2       5       5       2         1       7       2	divide numbers up to 4 digits by a two-digit whole number using the formal written method of short and long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context (Appendix 1) Short division 98 + 7 becomes $\begin{array}{c c} 1 & 4 \\ 7 & 9 & 8 \\ 1 & 5 & 4 & 3 & 2 \\ Answer: 14 \\ Answer: 86 remainder 2 \\ Answer: 86 remainder 2 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 45 & 1 & 1 & 1 & 4 & 9 & 6 \\ Answer: 28 & 1 & 5 & 4 & 3 & 2 & 1 \\ Answer: 28 & 1 & 5 & 4 & 3 & 2 & 1 \\ Answer: 28 & 1 & 5 & 4 & 3 & 2 & 1 \\ Answer: 28 & 1 & 5 & 4 & 3 & 2 & 1 \\ Answer: 28 & 1 & 2 & 0 & 1 & 2 & 0 \\ Answer: 28 & 1 & 2 & 0 & 1 & 2 & 0 \\ Answer: 28 & 1 & 2 & 0 & 1 & 2 & 0 \\ Answer: 28 & 1 & 2 & 0 & 1 & 2 & 0 \\ Answer: 28 & 1 & 2 & 0 & 1 & 2 & 0 \\ Answer: 28 & 1 & 1 & 4 & 0 & 15, 25 \\ \end{array}$

solve addition multi-step problems in contexts, deciding which	solve subtraction multi-step problems in contexts, deciding which	solve problems involving multiplication	solve problems involving division
operations and methods to use and why Use all the models and images mentioned above. Discuss which is	operations and methods to use and why Use all the models and images mentioned above. Discuss which is	Use all the models and images mentioned above. Discuss which is most effective and why.	Use all the models and images mentioned above. Discuss which is most effective and why.
most effective and why. Singapore Bar Method	most effective and why. Singapore Bar Method	Singapore Bar Method	Singapore Bar Method
whole part + part = whole part - part larger quantity difference smaller quantity + difference = larger quantity	whole whole - part = part part part larger quantity difference larger quantity = difference	whole one part x number of parts = whole part larger quantity smaller quantity x multiples = larger quantity smaller quantity	whole whole + number of parts = one part whole + one part = number of parts part larger quantity larger quantity + smaller quantity = multiple larger quantity + multiples = larger quantity smaller quantity
round answers to a specified degree of accuracy, e.g. to the nearest 10, 20, 50 etc., but not to a specified number of significant figures	round answers to a specified degree of accuracy, e.g. to the nearest 10, 20, 50 etc., but not to a specified number of significant figures	round answers to a specified degree of accuracy, for example, to the nearest 10, 20, 50 etc., (not to specified number of significant figures)	round answers to a specified degree of accuracy, e.g. to the nearest 10, 20, 50 etc., but not to a specified number of significant figures
Use knowledge of rounding (see fraction Policy) to create estimates.	Use knowledge of rounding (see fraction Policy) to create estimates.	Use knowledge of rounding (see fraction Policy) to create estimates.	Use knowledge of rounding (see fraction Policy) to create estimates.
use their knowledge of the order of operations to carry out calculations involving the four operations explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$	use their knowledge of the order of operations to carry out calculations involving the four operations explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$	use their knowledge of the order of operations to carry out calculations involving the four operations explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$	use their knowledge of the order of operations to carry out calculations involving the four operations explore the order of operations using brackets; for example, $2 + 1 \times 3 = 5$ and $(2 + 1) \times 3 = 9$
Review and investigate the effect of carrying out operations in different orders. Explore the effect. Introduce and use BODMAS to solve calculations.	Review and investigate the effect of carrying out operations in different orders. Explore the effect. Introduce and use BODMAS to solve calculations.	Review and investigate the effect of carrying out operations in different orders. Explore the effect. Introduce and use BODMAS to solve calculations.	Review and investigate the effect of carrying out operations in different orders. Explore the effect. Introduce and use BODMAS to solve calculations.
use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy	use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy	use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy	use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy
Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).	Estimate answers before solving any calculation. Check against estimate after calculating (and use inverse check).
use a variety of language to describe subtraction	use a variety of language to describe subtraction	use a variety of language to describe subtraction	use a variety of language to describe subtraction
+ add, addition, more, plus, increase, sum, total, altogether, score, double, near double, how many more to make? tens boundary, hundreds boundary, units boundary, tenths boundary, inverse = equals, sign, is the same as	- subtract, subtraction, take (away), minus, decrease, leave, how many are left/left over? difference between, half, halve, how many more/fewer is than? how much more/less is? tens boundary, hundreds boundary, units boundary, tenths boundary, inverse	x lots of, groups of, times, multiply, multiplication, multiplied by, multiple of, product, once, twice, three times ten times times as (big, long, wide and so on), repeated addition, array, row, column double, inverse	Array, row, column, halve, share, share equally one each, two each, three each group in pairs, threes tens, equal groups of, divide, division, divided by, divided into, remainder, factor, quotient, divisible by, inverse
	= equals, sign, is the same as	= equals, sign, is the same as	= equals, sign, is the same as