


Downton Primary School Calculation Policy


This policy has been adapted from the White Rose Maths Hub Calculation Policy with further material added. It is a working document and will be revised and amended as necessary. Many variations have been included to provide teachers with a range of tools to support pupils in their grasp of number and calculation. To ensure consistency for pupils, it is important that the mathematical language used in maths lessons reflects the vocabulary used throughout this policy.





Addition

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
is the whole, is a part, is a part = plus and plus = There are in total.		3+2=5 $2+3=5$ $5=3+2$ $5=2+3$	2 + 3 = 5 3 + 2 = 5 5 = 2 + 3 5 = 3 + 2 Bar 5
Year R/1	3+4=7 7=3+4 4+3=7 7=4+3 5+3=8 8=5+3 3+5=8 8=3+5		model 3 2
First Then Now e.g. First there were 4 children on the bus, then 3 children got on. Now there are 7 children on the bus. Year R/1	Role play getting 'on the bus' or use a toy bus.	First Then Now 4 + 3 = 7 2 + 3 = 5 0 1 2 3 4 5 6 7 8	First Then Now 9999 4 +3 7 4+3=7 4+2=6
We can look for pairs of addends which sum to 10 plus is equal to 10, then 10 plus is equal to Year 2	3 + 5 + 7 = 5 + 10	7 5	3+5+7=3+7+5=10+5=15









We line up the ones; __ ones plus __ ones.
We line up the tens: __ tens plus __ tens.
The __ is in the ones column – it represents
__ ones. The __ is in the ones column – it
represents __ ones.
ones plus __ ones is equal to __ ones.

__ ones plus __ ones is equal to __ ones.
The __ is in the tens column – it represents
__ tens. The __ is in the tens column – it represents __ tens.

__ tens plus __ tens is equal to __ tens.


In column addition we start at the right-hand side.

Year 3

If the column sum is equal to ten or more, we must regroup.

Year 3


Start with two-digit numbers to exemplify lining up the columns.



Children could draw place value counters.




Start with two-digit numbers to exemplify lining up the columns.




462 + <u>205</u>

Start with two-digit numbers to exemplify the regrouping.

Step 1



Children could draw place value counters.




Start with two-digit numbers to exemplify the regrouping.

567 +<u>233</u> 800


If the column sum is equal to ten or more, we must regroup.	See Year 3 examples	See Year 3 examples	6,5 8 4
Year 4			+ 2,7 3 9
			9, 3 2 3
			£ 2 4 . 5 5
			+ <u>f</u> 1 7 . 8 2
			£ 4 2 . 3 7
If the column sum is equal to ten or more, we must regroup.	See Year 3 examples	See Year 3 examples	As in Year 4 but using numbers with more than 4 digits
Years 5 and 6			


Addition – Key mental strategies for Key Stage 2




Subtraction

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
is the whole, is a part, is a part.	I have 8 counters. 5 counters are red.	There are 6 children. 2 have their coat	There are 8 flowers. 2 are red and the
=minus andminus = Year R/1	How many are blue?	on. How many do not have their coat on?	rest are yellow. How many are yellow? $8 - 2 = 6$
First Then Now e.g. First there were 4 children in the car, then 1 child got out. Now there are 3 children in the car. Year R/1	Role play 'getting out of a car'. First Then Now	First Then Now $4-1=3$ $3=4-1$ $0 \ 1 \ 2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 10$ $10-6=4$	4 -1 3 4-1=3
We partition the into and First we subtract the from to get to 10. Then we subtract the remaining from 10. We know 10 minus is equal to Year 2	12 - 4 = 12 - 2 = 10 10 - 2 = 8	First there were 12 children on the ride. Then 4 got off. Now there are 8 children on the ride. First Then Now	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
There are more than There are fewer than The difference between and is		0 1 2 3 4 5 6 7 8 9 10	5 red cars
Year 2	The difference between 2 and 5 is 3. The difference between 5 and 2 is 3.	The difference between 4 and 7 is 3. The difference between 7 and 4 is 3.	3 blue cars $ 2 \text{ cars} $ $ 5 - 3 = 2 $








If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.	See Year 3 examples	See Year 3 examples	6, 5 14 12 18 - 2, 7 8 9
Year 4			3, 7 4 9
			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left. Years 5 and 6	See Year 3 examples	See Year 3 examples	As in Year 4 but using numbers with more than 4 digits


Subtraction – Key mental strategies for Key Stage 2


Strategy	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
Bridging through a multiple of 10, 100, etc	-4 -2 -2 12 - 4 =	-10 -20	120 - 30 = 90
Years 3, 4, 5 and 6	12 - 2 = 10 10 - 2 = 8	90 100 120	20) 10
	12 - 4	120 – 30 =	120 – 30 =
	/\	120 – 20 = 100	120 – 20 = 100
	2 2	100 – 10 = 90	100 – 10 = 90
Compensating – rounding to the nearest multiple 10, 100, etc and adjusting Years 3, 4, 5 and 6	152 – 29	1 30 30 125 130 135 140 145 150 155	152 – 30 = 122 122 + 1 = 123


Multiplication

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
One group of two, two groups of two, three groups of 2,		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	10, 20, 30,
Ten, twenty, thirty,			
One five, two fives, three fives,	two four six eight ten		
Year R/1	2 4 6 8 10		
There are coins. Each coin has a value ofp. This isp.	Representing each group by one object	$\odot \odot \odot \odot \odot$	Five 2p coins = 10p
Year 1	Representing each group by one object		
There are in each group.			2+2+2+2=8
There are groups. There are in a group and groups.		5 5 5	2 x 4 = 8
Year 2			5 + 5 + 5 = 15
			5 x 3 = 15
Factor times factor is equal to the product. The product is equal to factor times factor.		2 2 2	2 x 3 = 6
Year 2		(5) (5) (5)	6 = 2 x 3
	Unitising equal groups – representing each group by one object		
times can represent in a group and		4 4 4 4 4	
groups. It can also represent groups of			2 x 5 = 5 x 2
Multiplication is commutative.		5 5 5	
Year 2		0 5 10 15 20	











If one factor is made one tenth of the size, the product will be one tenth of the size. If one factor is made one hundredth of the size, the product will be one hundredth of the size. I move the digits of the number I am multiplying places to the left until I get a whole number; then I multiply; then I move the digits of the product places to the right. Year 5	1	+4 +4 +4 0 4 8 12 16 20 +0.4 +0.4 +0.4 0.0 0.4 0.8 1.2 1.6 2.0	4 5 6 × 4 4 1 8 2 4 2 2 4 4 . 5 6 × 4 4 4 1 8 . 2 4 2 2 2
Numbers that have more than two factors are composite numbers. Year 5	Factors of 6 are 1, 2, 3 and 6.	1 12 Factor bugs 2 6 3 4	Factors of 6 are 1, 2, 3 and 6.
Numbers that have only two factors are prime numbers. Year 5	1 2 3 4 5 6		17 is a prime number because its only factors are 1 and 17.



Multiplication – Key mental strategies for Key Stage 2


Strategy	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
Adjacent multiples of have a difference of Year 3 onwards	4 4 4 4 4	0 4 8 12 16 20 24 28 32 36 40	4 x 6 = 4 x 5 + 4 4 x 9 = 4 x 10 - 4
Products in the 10 times table are double the products in the 5 times table. Products in the 5 times table are half of the products in the 10 times table. (NCETM Year 2 unit 2.5) Year 3 onwards	5 5 5 5 5 5 10 10 10	4 fives 0 5 10 15 20 2 tens	5 x 4 = 10 x 2
Products in the 4 times table are double the products in the 2 times table. Products in the 2 times table are half of the products in the 4 times table. Year 3 onwards	2 2 2 2 2 2 2 4 4 4 4	6 twos +2 +2 +2 +2 +2 +2 0 2 4 6 8 10 12 +4 +4 +4 3 fours	2 x 6 = 4 x 3
Products in the 8 times table are double the products in the 4 times table. Products in the 4 times table are half of the products in the 8 times table. Year 3 onwards	4 4 4 4 4 4 4 4 4 4 4 8 8 8 8 8	6 fours +4 +4 +4 +4 +4 +4 0 4 8 12 16 20 24 +8 +8 +8 3 eights	4 x 6 = 8 x 3





Products in the 10 times table can be used to find products in the 9 times table.			9 x 4 = 10 x 4 - 1 x 4
(NCETM Year 3 unit 2.8) Year 4 onwards	10 x 4		
Products in the 10 times table can be used to find products in the 11 times table and 12 times table. Year 4 onwards	5	30 6	12 x 3 = 10 x 3 + 2 x 3 = 30 + 6 = 36


Division

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
One group of two, two groups of two, three groups of 2, Ten, twenty, thirty, One five, two fives, three fives, Year R/1		00000	6 biscuits shared between 2 children gives 3 biscuits each.
The costsp. Each coin has a value ofp. So I need coins. Year 1	Eroser 10p	5 5 5 5	Five 2p coins = 10p
is divided into groups of There are groups. We can skip count using the divisor to find the quotient. Year 2		5 5 5 5 0 0 0 0 5 10 10 15	5 + 5 + 5 = 15 15 ÷ 5 = 3
divided between is equal to each. We can skip count using the divisor to find the quotient. Year 2	Team B	4 fives 4 fives 5 10 15 20	One 5 is 1 each. That's 5. Two 5s is 2 each. That's 10. 10 ÷ 5 = 2









If there is a multiplicative change to the dividend factor and a corresponding change to the divisor, the quotient remains the same.

If I multiply the dividend by , I must multiply the divisor by ___ for the quotient to remain the same.

Year 5 and 6







































If the dividend is made one tenth of the size, the quotient will be one tenth of the size.


If the dividend is made one hundredth of the size, the quotient will be one hundredth of the size.

I move the digits of the dividend places to the left until I get a whole number; then I divide; then I move the digits of the quotient __ places to the right.

Year 5 onwards








Any two-, three- or four-digit dividend can
be divided by a two-digit divisor using skip-
counting in multiples of the divisor, or by
short division or long division.

Year 6

Where there is a remainder, the result can be expressed as a whole-number quotient with a whole-number remainder, a wholenumber quotient with a proper-fraction remainder, or as a decimal-fraction quotient.

Year 6

Partitioning



$$310 \div 31 = 10$$
 $124 \div 31 = 4$
 $434 \div 31 = 14$

Short division

Long division

$354 \div 15 = ?$

434 ÷

So,
$$354 \div 15 = 23 \text{ r } 9$$

So,
$$354 \div 15 = 23\frac{3}{5}$$

So,
$$354 \div 15 = 23.6$$